Shrew tracing and cutout studies

ex2-0807 / LETTER / Side outline / 150 mm



Longest drawing axis: 150 mm. Bounds: 150.0 x 42.7 mm.

50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Shrew tracing and cutout studies

ex2-0807 / LETTER / Side outline / 100 + 50 mm





50 mm longest axis

100 mm longest axis

Same design, measured sizes - not fitted to paper.


Outline details are drawing lines, not extra cut instructions.

50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Shrew tracing and cutout studies

ex2-0807 / LETTER / Low three-quarter outline / 150 mm




Longest drawing axis: 150 mm. Bounds: 150.0 x 51.0 mm.

50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Shrew tracing and cutout studies

ex2-0807 / LETTER / Low three-quarter outline / 100 + 50 mm





50 mm longest axis

100 mm longest axis

Same design, measured sizes - not fitted to paper.

Outline details are drawing lines, not extra cut instructions.

50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Shrew tracing and cutout studies

ex2-0807 / LETTER / Solid side silhouette / 150 mm



Longest drawing axis: 150 mm. Bounds: 150.0 x 42.7 mm.

50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Shrew tracing and cutout studies

ex2-0807 / LETTER / Solid side silhouette / 100 + 50 mm





50 mm longest axis

100 mm longest axis

Same design, measured sizes - not fitted to paper.

Outline details are drawing lines, not extra cut instructions.

50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.

Shrew tracing and cutout studies

ex2-0807 / LETTER / Instructions

PURPOSE

Original stylized shrew studies for tracing, coloring and loose paper cutouts.
The side and three-quarter outlines show distinct views of the same animal.

DRAWING FACTS

- Side outline: 150.0 x 42.7 mm at 150 mm; 100 and 50 mm versions included.
- Three-quarter outline: 150.0 x 51.0 mm at 150 mm; 100 and 50 mm included.
- Side solid: 150.0 x 42.7 mm at 150 mm; 100 and 50 mm versions included.

MATERIALS

Paper for tracing or coloring; suitable card for loose cutouts; pencil, ruler and scissors.

HOW TO USE THESE PAGES

1. Choose a view and size. Pages 1-4 are outlines; pages 5-6 use the side solid.
2. Print the correct paper edition at 100%. Measure the 50 mm reference bar.
3. Trace the outside edge. Interior marks are drawing details, not extra cut paths.
4. For a loose cutout, cut around the outer contour and keep small parts joined.
5. Keep the thin tail joined; round tiny toe tips for a loose cutout.
6. Use a larger size for thick card. Fur and whiskers are drawing details.

BEFORE YOU CUT

These are stylized craft studies, not anatomy or species-identification references.
Try one small cut on your chosen paper or card before making repeat copies.
A loose cutout is not a bridged stencil. No cutting-machine compatibility is claimed.
Check the 50 mm bar and the small joins on your own printer and material.



50 mm print check

Print at actual size / 100%. Disable fit-to-page.
Use the paper edition that matches the printer tray.